Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9109	(707/1,3,4,5,6,10,100).CCLS.	USPAT; USOCR	OR	OFF	2005/04/28 09:36
S2	1	S1 & (quer$3 with API same protocols).ab.	USPAT	OR	OFF	2005/04/28 10:00
S3	5	S1 & (quer$3 with API same protocols)	USPAT	OR	OFF	2005/04/28 11:59
S4	4	S1 & (quer$3 with call$1 same protocols)	USPAT	OR	OFF	2005/04/28 10:09
S5	74	S1 & (quer$3 with API & protocols)	USPAT	OR	OFF	2005/04/28 13:03
S6	1	S1 & (quer$3 with API & protocols).ab.	USPAT	OR	OFF	2005/04/28 10:05
S7	2	S1 & ((quer$3 with API) & (protocols with quer$6))	USPAT	OR	OFF	2005/04/28 10:08
S8	1	("6,016,499").pn.	USPAT	OR	OFF	2005/04/28 10:08
S9	28	(quer$3 with call$1 with protocols) same (databas$3 or MIO or OID)	USPAT	OR	OFF	2005/04/28 10:10
S10	0	((quer$3 with call$1 same protocols) same (databas$3 or MIO or OID)).ab.	USPAT	OR	OFF	2005/04/28 10:11
S11	0	((quer$3 with call$1 same protocols) & (databas$3 or MIO or OID)).ab.	USPAT	OR	OFF	2005/04/28 10:10
S12	1	((quer$3 with API same protocols) same (databas$3 or MIO or OID)).ab.	USPAT	OR	OFF	2005/04/28 10:11
S13	2	((quer$3 with API with protocols) same (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:12
S14	3	((quer$3 with API same protocols) same (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:12
S15	3	(((quer$3 or XQL) with API same protocols) same (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:13
S16	13	(((quer$3 or XQL) with API same protocols) & (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:16
S17	50	(((quer$3 or SQL) with API same protocols) & (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:16
S18	5	(((quer$3 or SQL) with API with protocols) & (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 11:25
S19	0	(((quer$3 or SQL) with (function$1 near1 call$3) with protocols) & (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:23

S20	4	((((quer$3 or SQL) with (function$1 near1 call$3) with different$1) & (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:24
S21	0	S1 & (quer$3 with API with (different$3 near2 protocols))	USPAT	OR	OFF	2005/04/28 10:25
S22	0	S1 & (quer$3 with API with (different$3 near2 protocol$1))	USPAT	OR	OFF	2005/04/28 10:25
S23	1	S1 & (quer$3 with API same (different$3 near2 protocol$1))	USPAT	OR	OFF	2005/04/28 10:25
S24	1	("5,951,649").pn.	USPAT	OR	OFF	2005/04/28 10:36
S25	2	S5 & (interpret$6 with quer$6 with protocol$3)	USPAT	OR	OFF	2005/04/28 11:39
S26	50	((((quer$3 or SQL) with API same protocols) & (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 11:43
S27	1	S26 & (interpret$6 with quer$6 with protocol$3)	USPAT	OR	OFF	2005/04/28 11:39
S28	1	S26 & (interpret$6 with quer$6)	USPAT	OR	OFF	2005/04/28 11:39
S29	4	S5 & (interpret$6 with quer$6)	USPAT	OR	OFF	2005/04/28 11:39
S30	5	((((quer$3 or SQL) with API with protocols) & (databas$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 11:52
S31	5	((quer$3 or SQL) with API with protocols)	USPAT	OR	OFF	2005/04/28 11:54
S32	0	((quer$3 or SQL) with API with protocols) & (OID)	USPAT	OR	OFF	2005/04/28 11:54
S33	32	((quer$3 or SQL) with API same protocols) & (OID)	USPAT	OR	OFF	2005/04/28 11:55
S34	0	((quer$3 or SQL) with API same protocols) same (OID)	USPAT	OR	OFF	2005/04/28 11:54
S35	6	S1 & ((quer$3 or SQL) with API same protocols) & (OID)	USPAT	OR	OFF	2005/04/28 11:58
S36	32	((quer$3 or SQL) with API same protocols) & (OID)	USPAT	OR	OFF	2005/04/28 11:58
S37	5	S1 & (quer$3 with API same protocols)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:03
S38	10	S1 & (quer$3 with API & protocols) & OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:12

S39	17	(quer$3 with API & protocols) & OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:18
S40	2	(quer$3 same (API or (function$1 near2 call$3)) same protocols) & OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:20
S41	50	(quer$3 & (API or (function$1 near2 call$3)) same protocols) & OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:20
S42	4	(quer$3 & (API or (function$1 near2 call$3)) same protocols) same OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:21
S43	16	S1 & (map$6 with API with (quer$3 or SQL))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:41
S44	44	(map$6 with API with (quer$3 or SQL))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:41
S45	2	(map$6 with API with (quer$3 or SQL)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:42
S46	20	(map$6 with API with (quer$3 or SQL)) same database$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:49

S47	0	("6,775,661").ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:49
S48	2	("6,775,661" B1).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 13:03
S49	11	S1 & (quer$3 with API with translat$6)	USPAT	OR	OFF	2005/04/28 13:33
S50	8	S1 & (quer$3 with API with translat$6) & (map$6)	USPAT	OR	OFF	2005/04/28 13:16
S51	11	S1 & (quer$3 with API with translat$6)	USPAT	OR	OFF	2005/04/28 13:23
S52	0	(interpret) & ("5,873,080").pn.	USPAT	OR	OFF	2005/04/28 13:23
S53	1	("5,873,080").pn.	USPAT	OR	OFF	2005/04/28 13:24
S54	0	S53 & interpret$6	USPAT	OR	OFF	2005/04/28 13:23
S55	0	S1 & (quer$3 with API with correspond$6)	USPAT	OR	OFF	2005/04/28 13:33
S56	2	S1 & (SQL with API with correspond$6)	USPAT	OR	OFF	2005/04/28 13:35
S57	0	S1 & (SQL with API with tranform$6)	USPAT	OR	OFF	2005/04/28 13:36
S58	0	S1 & ((SQL or quer$3) with API with tranform$6)	USPAT	OR	OFF	2005/04/28 13:36
S59	24	((SQL or quer$3) with API with (tranform$6 or correspond$6 or identif$3))	USPAT	OR	OFF	2005/04/28 13:37
S60	14	S1 & ((SQL or quer$3) with API with (tranform$6 or correspond$6 or identif$3))	USPAT	OR	OFF	2005/04/28 13:39
S61	48	S1 & ((SQL or quer$3) with API with (tranform$6 or correspond$6 or form$6 or transfer$6))	USPAT	OR	OFF	2005/04/28 13:40
S62	46	S1 & ((SQL or quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6))	USPAT	OR	OFF	2005/04/28 13:40
S63	2	S1 & ((SQL or quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6)) same protocol$1	USPAT	OR	OFF	2005/04/28 13:45

S64	18	S1 & ((SQL or quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6)) & protocol$1	USPAT	OR	OFF	2005/04/28 14:18
S65	2	S1 & ((SQL or quer$3) with (API or (function$1 near2 call$3)) with (translat$6) same protocol$1)	USPAT	OR	OFF	2005/04/28 14:09
S66	14	S1 & ((SQL or quer$3) with (API or (function$1 near2 call$3)) with (translat$6) & protocol$1)	USPAT	OR	OFF	2005/04/28 14:00
S67	2	S1 & ((SQL or quer$3) with (API or (function$1 near2 call$3)) with (translat$6) same protocol$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:10
S68	2	S1 & ((SQL or quer$3) with (API or (function$1 near2 call$3)) with ((translat$6 or map$6)) same protocol$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:10
S69	0	((SQL or quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) same (dababas$3) & protocol$1	USPAT	OR	OFF	2005/04/28 14:20
S70	23	((SQL or quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) same (databas$3) & protocol$1	USPAT	OR	OFF	2005/04/28 14:26
S71	21	S1 & ((SQL or quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) same (databas$3)	USPAT	OR	OFF	2005/04/28 14:35
S72	63	S1 & ((SQL or quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6))	USPAT	OR	OFF	2005/04/28 14:45
S73	5	S1 & ((SQL or quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) same network$3	USPAT	OR	OFF	2005/04/28 14:35
S74	29	((quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) same databas$6	USPAT	OR	OFF	2005/04/28 14:46

S75	29	((quer$3) with API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) same databas$6 & network$6	USPAT	OR	OFF	2005/04/28 14:57
S76	25	S1 & ((quer$3) same API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) same databas$6 & network$6	USPAT	OR	OFF	2005/04/28 15:08
S77	65	S1 & ((quer$3) same API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) & network$6	USPAT	OR	OFF	2005/04/28 14:57
S78	5	S1 & ((quer$3) same API with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) same protocol$1	USPAT	OR	OFF	2005/04/28 15:09
S79	3	S1 & ((quer$3) with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) same API same protocol$1	USPAT	OR	OFF	2005/04/28 15:17
S80	1	S1 & ((quer$3) with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) with API$1 same protocol$1	USPAT	OR	OFF	2005/04/28 15:17
S81	57	S1 & ((tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) with API$1 same protocol$1	USPAT	OR	OFF	2005/04/28 15:18
S82	12	S1 & (request$3 with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) with API$1 same protocol$1	USPAT	OR	OFF	2005/04/28 15:18
S83	12	S1 & (request$3 with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) with API$1 same protocol$1	USPAT	OR	OFF	2005/04/28 15:19
S84	9	S1 & (request$3 with (tranform$6 or correspond$6 or form$6 or convert$6 or translat$6 or mapp$6)) with API$1 same protocol$1 & (SQL or quer$3)	USPAT	OR	OFF	2005/04/28 16:18
S85	1	("6,023,684").pn.	USPAT	OR	OFF	2005/04/28 16:18